

SECTION 1 – Identification of the substance/mixture and of the company/undertaking	
1.1 Product Identifier:	<p>UltraMirror™ Glass</p> <ul style="list-style-type: none"> ▪ UltraMirror™ Ultra Clear ▪ UltraMirror™ Clear ▪ UltraMirror™ SatinDeco ▪ UltraMirror™ Bronze ▪ UltraMirror™ Grey ▪ UltraMirror™ N ▪ Modiguard® Ultra Mirror Clear ▪ Modiguard® Ultra Mirror Bronze ▪ Modiguard® Ultra Mirror Grey ▪ Ecodesign Mirror ▪ Evolution Mirror <p><i>This voluntary SDS covers the entire global portfolio of UltraMirror glass products manufactured by Guardian Industries as of the date of issue.</i></p>
EC Number: REACH Registration Number: CAS Number:	266-046-0 The substance “glass” referred to in Section 3 is exempt from EU REACH registration and is not considered hazardous. 65997-17-3
1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:	
Identified Uses: Uses advised against:	Glass [AC4a] Building and Construction Work [SU19] None identified
1.3 Details of the Supplier of the Safety Data Sheet:	
World Headquarters Address: Guardian Glass 2300 Harmon Road Auburn Hills, MI, USA 48326 +1 (248) 340-1800 (Monday – Friday: 8am – 5pm EST)	
Email of person responsible for this SDS: sds@guardian.com	

SECTION 2 – Hazards Identification

2.1 Classification of the substance or mixture:

This product does not meet the criteria for classification in any hazard class according to OSHA 29 CFR 1910.1200 nor to EU Regulation (EC) No 1272/2008 on classification, labelling and packaging (CLP) of substances and mixtures.

The material “inorganic glass” is an article and is non-hazardous. Therefore, a SDS is not required. This SDS is offered solely for your information.

2.2 Label elements:	Not Applicable
2.3 Other hazards:	This article does not meet the criteria for PBT or vPvB substances according to EU Regulation (EC) No. 1907/2006, Annex XIII

SECTION 3 – Composition / Information on Ingredients

Composition: This product is considered an article. The end use is dependent upon the manufactured shape and design. This article is not anticipated to pose an exposure hazard under the intended conditions of use. Sanding, grinding, or similar activities can create nuisance dust particles.

Flat soda lime silicate (SLS) glass is manufactured by the reaction of various raw materials. Some of the raw materials used in SLS glass production are crystalline substances. However, the finished glass is amorphous and does not have short range repeatable crystalline structures like crystalline materials (e.g., silica). As such, no crystalline structures are present in the finished glass product.

3.1 Substances:

Ingredient/Substance Name	Identifiers	% by Weight	Classification
Glass oxide	CAS# 65997-17-3 EC# 266-046-0	> 99.9% *	Not classified
Lead	CAS # 7439-92-1 EC#231-100-4	<0.1%**	 Lact. H362  Repr. 1A H360 FD  Aquatic Acute 1 H400  Aquatic chronic 1 H410

* All substances above 1000 ppm (0.1%) are identified in the table above. UltraMirror glass products are treated with coatings that may contain the following substances or their oxides/nitrides at <0.1% (w/w): tin, zinc, silver, lead, palladium and silicon.

** Lead is encapsulated in the base coating layer of the mirror and additional top coatings and backings are then applied. The coatings are applied to the back side of the mirror to provide mechanical and chemical durability. The coating layers of the mirror are not accessible in the use stage as intended to be installed.

Glass lites are typically stacked for shipment on racks or packed in cases and may be separated with less than 0.1 weight percent per square meter of glass of powdered interleaving material either consisting of polymeric beads or organic walnut shell powder. Interleaving powders are used to protect the surface quality of the glass.

Walnut shell interleaving powders may contain trace amounts of walnut proteins that have been known to cause allergic reaction in susceptible individuals.

UltraMirror glass products manufactured by Guardian do not contain asbestos or formaldehyde.

SECTION 4 – First Aid Measures	
4.1 Description of first aid measures:	
Inhalation:	Remove from exposure area and contact a physician.
Skin:	Nuisance dust particles from sanding, grinding or similar activities may cause slight irritation. Do not rub. Rinse with large quantities of water. Cuts or abrasions should be treated promptly with a thorough cleansing of the affected area. Serious cuts and abrasions should be treated by a physician.
Eye:	Nuisance dust particles from sanding, grinding or similar activities may cause slight irritation. Do not rub. Rinse with large quantities of water. Cuts or abrasions should be treated promptly with a thorough cleansing of the affected area. Seek medical attention.
Ingestion:	Not a likely route of exposure. Seek immediate medical attention in the event of an occurrence.
4.2 Most important symptoms and effects, both acute and delayed: None Known	
4.3 Indication of any immediate medical attention and special treatment needed: Treat symptomatically, seek medical attention if inhaled or ingested.	

SECTION 5 – Fire Fighting Measures	
This article is not classified as flammable or combustible per OSHA 29 CFR 1910.1200 Appendix B neither per EU Regulation (EC) No. 1272/2008.	
5.1 Extinguishing media:	
Suitable extinguishing media:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media:	None known
5.2 Special hazards arising from the substance or mixture:	
Hazards from the product:	None known
Hazardous combustion products:	None known
5.3 Advice for firefighters:	None known

SECTION 6 – Accidental Release Measures	
6.1 Personal precautions, protective equipment & emergency procedures:	

6.1.1 For non-emergency personnel:	Protective Equipment: To prevent lacerations, use proper personal protection equipment (e.g., safety eyewear, cut-resistant gloves and clothing, foot protection, etc.). Refer to section 8 of this SDS for additional information on personal protective equipment. Emergency procedures: None identified
6.1.2 For emergency responders:	Use appropriate personal protective equipment to prevent lacerations.
6.2 Environmental precautions:	None identified
6.3 Methods and material for containment and cleaning up:	
6.3.1 For containment:	Broken product should be swept up and placed in appropriate labeled containers for disposal based on applicable local laws.
6.3.2 For cleaning up:	Dust and affected liquid should not be allowed to leak into storm/sewer water drains
6.3.3 Other information:	If feasible, recycle broken glass where facilities exist.
6.4 Reference to other sections	Not applicable

SECTION 7 – Handling and Storage	
7.1 Precautions for safe handling:	Safe glass handling procedures and equipment should be used at all times to prevent accidental breakage and exposure to the sharp edges of glass sheets/ broken glass. The greatest risks associated with the handling and storage of glass are lacerations from cut/broken glass and injury from falling glass. Serious injuries and fatalities may result from improper handling and transportation of float glass.
7.2 Conditions for safe storage including incompatibilities:	Properly secure glass to prevent breakage, fall, vibration and impact.
7.3 Specific end use(s)	None

SECTION 8 – Exposure Controls / Personal Protection
--

8.1 Control parameters:

Ingredient/Substance	OSHA PEL (TWA)	UK WEL (TWA)	ACGIH TLV (TWA)
Particulate – not otherwise regulated	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 4 mg/m ³ (respirable)	10 mg/m ³ (total) 5 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

As mentioned in Section 3 of this SDS, Guardian UltraMirror products may contain <0.1% (w/w) of the following intentionally added substances: tin, zinc, silver, lead, palladium and silicon.

Consult local regulations for applicable exposure limits and monitoring procedures if applicable.
 It is recommended that any operation that generates dust from these glass products be evaluated to determine if any applicable regulatory exposure limits are exceeded. If exposure limits are exceeded for dust or any trace components, appropriate engineering controls (e.g., ventilation/filtration) and/or personal protective equipment (e.g., respirators) should be utilized.

DNELs:	Not available
PNECs:	Not available

8.2 Exposure controls:	
8.2.1 Appropriate engineering controls:	If user operations generate dust then it is recommended to use appropriate engineering controls (e.g., local exhaust ventilation, process enclosures) to keep dust levels (concentrations) below acceptable limits.
8.2.2 Individual protection measures:	
Eye/face protection:	Wear appropriate protective eyeglasses with side shields or chemical safety goggles as described European Standard EN166 (or country equivalent). If user operations generate dust, then it is recommended to ensure that eyewash stations are located close to the workstations.
Skin protection:	Wear appropriate cut-resistant personal protective equipment, protecting parts of the body that may be exposed to glass during typical glass handling and processing operations or transport (e.g., anti-lacerative gloves, cuffs, jackets, hard hats, steel-toed shoes, etc.)
Respiratory protection:	Respiratory protection may be required if effective engineering controls are not effective at keeping dust exposure during sanding, grinding, or similar activities below acceptable limits. Use a European Standard EN 149 approved respirator (or country equivalent) if exposure limits are exceeded or if irritation or other symptoms are experienced.
8.2.3 Environmental exposure controls:	Not applicable

SECTION 9 – Physical and Chemical Properties	
Physical state:	Solid
Odor:	Odorless
Odor threshold:	Not applicable
pH:	Not applicable
Melting point:	1500°F (815°C)

Boiling point:	>2000°F (1093°C)
Flash point:	Not applicable
Evaporation rate:	Not applicable
Flammability (solid, gas):	Not applicable
Upper/lower flammability limits:	Not applicable
Vapor pressure:	Not applicable
Vapor density:	Not applicable
Relative density:	2.4 – 2.6
Solubility in water:	Insoluble
Partition coefficient: n-octanol/water:	Not applicable
Auto-ignition temperature:	Not applicable
Decomposition temperature:	Not applicable
Viscosity:	Not applicable
Explosive properties:	Not applicable
Oxidizing properties:	Not applicable
Volatile Organic Compounds (VOC):	Glass is by nature an inert material that does not release volatile organic compound (VOCs). Solvents in the mirror coatings are fully evaporated in ovens at the end of the manufacturing stage and not present in the finished coated products as supplied to the market.

SECTION 10 – Stability and Reactivity	
10.1 Reactivity:	No known hazardous reactions
10.2 Chemical stability:	Stable
10.3 Possibility of hazardous reactions:	None identified
10.4 Conditions to avoid:	None identified
10.5 Incompatible materials:	None identified
10.6 Hazardous decomposition products:	No known hazardous decomposition products

SECTION 11 – Toxicological Information	
11.1 Information on toxicological effects:	
Acute toxicity:	None known, non-hazardous

Skin corrosion / irritation:	None known, non-hazardous. Nuisance dust particles from sanding, grinding or similar activities may cause slight irritation.
Serious eye damage / irritation:	Nuisance dust particles from sanding, grinding or similar activities may cause slight irritation.
Respiratory or skin sensitization:	None known, non-hazardous
Germ cell mutagenicity:	None known, non-hazardous
Carcinogenicity:	Glass and glass dust are not listed as carcinogens (IARC, NTP and OSHA)*.
Reproductive toxicity:	None known, non-hazardous
STOT – single exposure:	None known, non-hazardous
STOT – repeated exposure:	None known, non-hazardous
Aspiration hazard:	Not applicable

**Note: UltraMirror glass products are treated with coatings that may contain the following substances or their oxides/nitrides at <0.1% (w/w): lead and palladium.*

SECTION 12 – Ecological Information

12.1 Toxicity:	This product is not classified as toxic.
12.2 Persistence and degradability:	Not applicable
12.3 Bioaccumulative potential:	Not applicable
12.4 Mobility in soil:	Not applicable
12.5 Results of PBT and vPvB:	This article does not meet the criteria for PBT or vPvB substances according to EU Regulation (EC) No. 1907/2006, Annex XIII
12.6 Other adverse effects:	No known significant effects or critical hazards.

SECTION 13 – Disposal Considerations

13.1 Waste treatment methods:	<p>Glass, dust and cullet disposal should be conducted in accordance with applicable regulations. Reuse or recycle in accordance with applicable regulations.</p> <p>Disposal of waste water and other discharges or emissions from glass processing operations should be done in accordance with applicable regulations.</p>
--------------------------------------	---

SECTION 14 – Transport Information	
U.S. DOT (49 CFR):	Not regulated as a dangerous good
Canada TDG:	Not regulated as a dangerous good
UNRTDG:	Not regulated as a dangerous good
EU ADR / RID:	Not regulated as a dangerous good
EU ADN:	Not regulated as a dangerous good
IATA:	Not regulated as a dangerous good
IMDG Code:	Not regulated as a dangerous good
Europe:	Glass is not classified as hazardous under European Regulation (EC) No 1272/2008 and does not require specific transportation conditions.

SECTION 15 – Regulatory Information	
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:	
EU Restriction of Hazardous Substances (RoHS) Directive 2015/863	
<p>The European Union (EU) Restriction of Hazardous Substances (RoHS) Directive specifically regulates the use of certain chemicals in the manufacture of electrical and electronic equipment. Guardian sells glass products to fabricators so that it can be utilized as a raw material in their finished architectural and residential products.</p> <p>Coatings used to manufacture the mirror contain lead (maximum calculated weight percent by weight in finished product is < 0.1% Pb). Lead is encapsulated in the base coating layer applied to the backside of the mirror and additional top coatings and backings are applied. The coating layers of the mirror are not accessible in the use stage as intended to be installed.</p> <p>Raw clear float/flat glass used in the manufacture of UltraMirror glass may contain the contaminants chromium and cadmium (present as impurities at very low concentrations in mined raw materials such as silica or limestone) at concentrations well below the threshold limits for RoHS. <i>These substances are not intentionally added to the glass during the manufacturing process.</i></p>	
Regulation (EC) No. 1907/2006 (REACH) Annex XIV List of substances subject to authorization:	No constituents are present above the 0.1% by weight threshold
Regulation (EC) No. 1907/2006 (REACH) Annex XIV Candidate List of Substances of Very High Concern (SVHC):	No constituents are present above the 0.1% by weight threshold
Regulation (EC) No. 1907/2006 (REACH) Annex XVII – Restrictions on the	Not applicable

manufacture, placing on the market and certain dangerous substances, mixtures and articles:	
Regulation (EC) No. 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals:	Not applicable
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer:	Not applicable
Regulation (EC) No. 850/2004 on persistent organic pollutants:	Not applicable
Seveso III Directive 2012/18/EU of the European Parliament and the Council on the control of major-accident hazards involving dangerous substances:	Not applicable
SARA 302/304:	Not applicable
SARA 311/312:	Not applicable
SARA 313:	Not applicable
US EPA TSCA 8(b):	All chemical substances in this article are included or exempt from the EPA TSCA 8(b) chemical inventory.
California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65):	<p>Certain coatings present on Guardian UltraMirror glass products may contain the following substances present on the California Proposition 65 list dated February 25, 2022: carbon black, cumene, lead and lead compounds.</p> <p>Guardian UltraMirror glass products are articles per OSHA 29 CFR 1910.1200. Its end use is dependent upon the manufactured shape and design. Guardian UltraMirror glass products will not pose an exposure hazard during routine handling and intended use by the final consumer. The aforementioned substances are present in trace quantities and encapsulated in a coating layer not accessible to the consumer during routine handling and use. Guardian Glass does not directly sell glass products to consumers. Guardian sells glass products to fabricators so that it can be utilized as a raw material in their finished architectural and residential products. If a downstream fabricator manipulates Guardian UltraMirror glass products (cutting, sanding, grinding, edge-deleting or similar activities) in a way that may produce dust, then it is recommended that the fabricator evaluate the process to determine the potential for any occupational exposures.</p>

Voluntary Chemical Substance Declaration Schemes	
Living Building Challenge 4.0 (Red List)	<p>Lead is present in a trace amount (maximum calculated weight percent by weight in finished product is < 0.1% Pb).</p> <p>Residual amount of Bisphenol A-epichlorohydrin polymer (<0.1% w/w) is encapsulated in the coating matrix.</p> <p>Lead and Bisphenol A are encapsulated in the base coating layer applied to the backside of the mirror and additional top coatings and backings are applied. The coating layers of the mirror are not accessible in the use stage as intended to be installed.</p>
15.2 Chemical Safety Assessment:	Not Applicable- no Chemical Safety Assessment has been carried out for this article by the supplier.

SECTION 16 – Other Information

This product is an *article* as it does not conform either to the criteria given in Article 31(1) (a), (b) and (c) or to those in Article 31(3) for when SDSs are required. The substance “glass” referred to in section 3 and “*articles*” manufactured from it are exempt from EU REACH registration.

Abbreviations and acronyms:	<p>AICS – Australian Inventory of Chemical Substances; AICS – Australian Inventory of Chemical Substances; CAS – Chemical Abstract Service; CFR – Code of Federal Regulation; CLP – Classification Labeling Packaging Regulation [EU Regulation (EC) No. 1272/2008]; DNEL - Derived No Effect Level; DSL – Canada Domestic Substances List; ECHA – European Chemicals Agency; EC Number – European Community number; ENCS – Japan Existing and New Chemical Substances; EPA – U.S. Environmental Protection Agency; EU – European Union; EU ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; EU ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; GHS – Globally Harmonized System; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; ISHL – Industrial Safety and Health Law (Japan); KECI – Korea Existing Chemicals Inventory; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP – National Toxicology Program; NzIoC – New Zealand Inventory of Chemicals; PBT – Persistent, Bioaccumulative, and Toxic substance; PEL – Permissible Exposure Limit; PICCS – Philippines Inventory of Chemicals and Chemical Substances; PNEC - Predicted No Effect Concentration; REACH – Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation, and Restriction of Chemicals; RID – EU Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS – Safety Data Sheet; STOT - specific target organ toxicity; TCSI – Taiwan Chemical Substance Inventory; TLV – Threshold Limit Value; TSCA – Toxic Substances Control Act (United States EPA); TWA – Time Weighted Average; UK – United Kingdom; UNRTG – United Nations Recommendations on the Transport of Dangerous Goods; U.S. – United States; U.S. DOT – U.S. Department of Transportation; U.S. OSHA – U.S. Occupational Safety and Health Administration; vPvB – Very Persistent and Very Bioaccumulative; WEL – Workplace Exposure Limit</p>
-----------------------------	--

Date of Issue:	1 March 2022 Version: 4
Revisions:	<i>Update for California Prop 65 list, Living Building Challenge and REACH SVHC</i>
Prepared by:	Guardian Industries Product Stewardship
NOTICE:	<p>The information contained in this document is based on data considered to be accurate as of the preparation date of this Safety Data Sheet (SDS) and was prepared pursuant to applicable Government regulation(s). This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the above data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided about any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. Purchasers and users of the product are responsible for determining that this product is suitable for the intended use and application. No responsibility can be assumed by vendor for any damage or injury resulting from failure to adhere to recommended uses, or from any hazards inherent to the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product should explicitly advise their employees, agents, contractors and customers who will use the product of this SDS.</p>